The following catalog has gaps in its page numbers, or doesn't have any numbers. We have chosen to leave the page numbering in the order that Acrobat assigns it.



# Onon Parts Catalog


**SERIES** 

LK-RV

**GenSet** 

CA 12534







# INDEX

GENERATOR SET SECTION	CATION
GENERATING SET DATA TABLE	 A4
Block, Cylinder	 A6,A7
Camshaft	 A7
Carburetor Parts	 B1
Control - Spec A through L	
Control - Begin Spec M	
Crankshaft and Flywheel	
Exhaust System	
Fuel System - Spec A through L	
Fuel System - Begin Spec M	-
Gearcase	
Generator - Spec A through L	
Generator - Spec A through E	
Governor	
Housing, Air	
Ignition System	
Oil Base and Mounting Plate	
Piston and Rod	
Pump, Fuel - Parts	
Service Kits and Miscellaneous	 B11
OPTIONAL EQUIPMENT	
Control, Remote Starting	 C2



#### INTRODUCTION

This catalog applies to the standard LK Recreational Vehicle generator set. Parts are arranged in groups of related items. Each illustrated part is identified by a reference number corresponding to the same reference number in the parts list for that group. Parts illustrations are typical. Using the *Model* and *Spec No.* from the nameplate, select parts from this catalog that apply to your set. Unless otherwise mentioned in the description, parts are interchangeable between models. Right and left sides are determined by facing the engine end (front) of the set.

#### **DATA TABLE**

MODEL AND SPEC NO.	TYPE	WATTS	VOLTS	HERTZ	WIRE	PHASE
1.7LK-52R/*	Remote	1750	240	50	2	1
1.7LK-53CR/*	Remote	1750	120/240	50	**	1
2.5LK-1R/*	Remote	2500	120	60	2	1
2.5LK-3CR/*	Remote	2500	120/240	60	**	1


- \* The Specification Letter advances (A to B, B to C, etc.) with manufacturing changes.
- \*\* Set is reconnectible for 120 volt, 2 wire, 240 volt, 2 wire or 120/240 volt, 3 wire service. The letter R in MODEL and SPEC denotes electric start with start-stop at both the set and the remote control.

## **NOTICE!**

ITEMS REFERENCED AS **OPTIONAL** INDICATE PART IS FACTORY INSTALLED AND MAY NOT BE APPLICABLE TO ALL MODELS. FOR FIELD CONVERSIONS ADDITIONAL PARTS ARE USUALLY REQUIRED.



#### **GEARCASE AND GOVERNOR**




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NQ.	PART NO.	QTY. USED	PART DESCRIPTION
1	518-0006	1	Clip, Rod End	20	815-0046	2	†Screw, Machine - Pan Head.
ż	150-0732	ì	Rod. Throttle Link				Cross-Recessed (#8-32 x
3	870-0053	1	Nut, Hex - Zinc Plated				3/8") - Begin Spec M
_	-,	•	(#10-32)	21	150-1187	1	†Yoke, Governor Arm -
4	JOINT, BALL		(****				Begin Spec M
-	150-0639	1	Begin Spec M	22	518-0129	1	*Ring, Retaining - Spec A
	150-0974	1	Spec A thru L				thru L
5	870-0131	2	Nut, Hex - With External Tooth Lockwasher (#10-32)	23	150-0620	1	*Yoke, Governor Arm - Spec A thru L
6	150-0096	1	Stud, Adjusting - Governor Spring	24	150-1523	1	†Arm & Shaft, Governor - Begin Spec M
7	150-0098	1	Spring - Governor	25	150-0610	1	*Arm & Shaft, Governor -
á	812-0150	ż	Screw, Machine - Round Head			•	Spec A thru L
•	012 0100	-	(1/4-20 x 5/8")	26	509-0008	1	*†Seal, Oil - Governor Shaft
9	850-0040	2	Washer, Lock - Spring (1/4")	27	510-0013	i	*†Bearing, Needle (Upper)
10	150-0611	1	Bracket, Governor	28	510-0013	1	†Bearing, Needle (Lower) -
11	800-0034	i	Screw, Cap - Hex Head				Begin Spec M
• •		•	(5/16-18 x 2-1/4")	29	510-0008	1	*Bearing, Needle (Lower) -
12	800-0032	4	Screw, Cap - Hex Head				Spec A thru L
			(5/16-18 x 1-3/4")	30	510-0014	1	*†Ball Bearing
13	850-0045	5	Washer, Lock - Spring (5/16")	31	516-0130	1	*†Pin, Roll - Governor Stop
14	103-0513	1	Gearcase Assembly - Begin	32	103-0011	1	Gasket, Gearcase
			Spec M (Includes Parts Marked †)	33	516-0141	2	Pin, Dowel - Gearcase Alignment
15	103-0160	1	Gearcase Assembly - Spec A thru L (Includes Parts	34	160-0500	1	Bracket. Timing
			Marked *)	* - Inc	cluded in 103	-0160 Ge	arcase Assembly
16	509-0040	1	*†Seal, Oil - Crankshaft				arcase Assembly
17	150-0136	i	*†Stud. Adjusting - Governor				
18	850-0030	1	*tWasher, Lock - Spring (#10)				
19	870-0053	1	*†Nut, Hex - Zinc Plated (#10-32)				



by any means, is strictly prohibited.


## CYLINDER BLOCK





#### **CYLINDER BLOCK**

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	110-1622	1	Block Assembly, Cylinder -	25	123-0517	1	Tube, Oil Fill
			Spec A thru L (Includes				(Spec A thru L)
			Parts Marked *)	26	509-0041	1	Seal, Oil - Rear Bearing
2	110-2374	1	Block Assembly, Cylinder -	27	800-0512	4	*Screw, Cap - Hex Head
			Begin Spec M (Includes				(Special)
			Parts Marked *)	28	850-0045	5	*Washer, Lock - Spring (5/16")
3	114-0022	5	Screw, Cap - Hex Head	29	101-0398	1	*Plate, Bearing - Rear
			(Special)				(Excludes Bearing)
4	110-0879	4	Screw, Cap - Hex Head (Special)	30	101-0115	1	Gasket Kit - Rear Bearing Plate
5	526-0122	9	Washer, Flat (11/32" ID x	31	BEARING, S	LEEVE -	CRANKSHAFT
			23/32" OD x 0.134" Thk)		101-0450	2	*Standard
6	110-0891	1	Head, Cylinder	1	101-0450-02	2	.002" Undersize
8	110-0892	1	Gasket, Cylinder Head	i	101-0450-10	2	.010" Undersize
9	800-0014	1	Screw, Cap - Hex Head	1	101-0450-20	2	.020" Undersize
			(1/4-20 x 2-3/4") *	i	101-0450-30	2	.030" Undersize
10	526-0063	1	Washer, Flat - Copper	32	516-0072	4	*Pin, Drive - Bearing Stop
			(11/64" ID x 7/16" OD	33	104-0575	2	*Washer, Thrust
			x 1/32" Thk)	34	520-0532	1	*Stud (5/16-18 x 5/16-24
11	123-0486	1	Valve, Breather	ľ			x 1-3/16")
12	110-1595	1	Cover, Valve Compartment	35	520-0114	4	*Stud (5/16-18 x 5/16-24
13	110-0667	1	Gasket, Valve Cover				x 1-5/16") - Spec A
14	110-0639	4	Lock, Valve Spring Retainer	•			thru L
15	110-0904	1	Rotator, Valve	36	517-0048	1	*Plug, Expansion
16	110-0893	1	Retainer, Valve Spring	37	101-0367	2	*Bearing, Sieeve - Camshaft
17	110-0539	2	Spring, Valve	38	110-0902	2	*Guide, Valve
18	110-0881	1	Valve, Intake	39			T - EXHAUST (Chrome
19	110-0880	1	Valve, Exhaust (Chrome	- 1	Cobalt Alloy		
			Cobalt Alloy)	•	110-0872	1	*Standard
20	TAPPET, VAI			1	110-0872-02	1	.002" Oversize
	115-0006	2	Standard		110-0872-05	1	.005" Oversize
	115-0006-05	2	.005" Oversize	1	110-0872-10	1	.010" Oversize
21	102-0753	1	Plug, Oil Fill (Begin		110-0872-25	. 1	.025" Oversize
			Spec M)	<b>↓ 40</b>	NUT, HEX (S		
22	102-0612	1	Gasket, Oil Fill Plug	1	110-0445	1	*Begin Spec M
	100 0010	_	(Begin Spec M)		110-0445	5	*Spec A thru L
23	123-0519	1	Cap & Indicator, Oil Fill	1			
	100 0101		(Spec A thru L)	1 " - Inc	luded in Cylin	der Bloc	CK Assembly Con A
24	123-0191	1	Gasket, Oil Fill Cap	الاحسا	BEARING	الصاحلين	Assembly. HAFT-SPO-A - STandard
			(Spec A thru L)	34	101 -0 18	1 2	· STandord.
			_		1-110	• • •	





•			
REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	105-0141	1	Camshaft (Includes Center Pin)
2	150-0075	1	Pin, Camshaft
3	515-0001	1	Key, Camshaft Gear
4	105-0541	1	Washer, Thrust
5	105-0332	1	Gear Assembly, Camshaft (Includes Parts Marked *)
6	510-0015	10	Ball, Fly - Governor
7	150-1520	1	**Cup, Governor
8	150-0078	1	Ring, Retaining
-	160-1267		Opacer Tybaii
10-	150-0077		Plate, Plyball
11	150-1519	1	**Hub, Governor Cup
12	150-1695	1	Cup, Governor (Kit) (Includes Parts Marked **)

Parts Included in Camshaft Gear Assembly:
- Parts Included in Governor Cup Kit.

\_\_\_\_

## **OIL BASE AND MOUNTING PLATE**








#### **OIL BASE AND MOUNTING PLATE**


REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	800-0051	4	Screw, Cap - Hex Head (3/8-16 x 1-1/4") - Begin Spec L - Oil Base to Cylinder Block	28 29	403-0979 402-0373	1	Plate, Mounting - Spec J thru L Hardware Set - Used with Mounting Plate (Includes Par Marked *) - Spec F thru L
2	800-0056	4	Screw, Cap - Hex Head (3/8-16 x 2-1/2") - Spec A thru K - Oil Base to Cylinder Block	30	402-0364	1	Hardware Set, Used when no Mounting Plate (Includes Parts Marked †) - Spec F thru L
3	850-0050 102-0107	4	Washer, Lock - Spring (3/8") Gasket, Oil Base	31	862-0004	4	*†Nut, Hex (7/16-14) - Spec F thru L
5	504-0092	i	Valve, Oil Drain - Begin Spec J (Also useable on Spec F	32	850-0055	4	*†Washer, Lock - Spring (7/16") - Spec F thru L
6	505-0120	1	thru H) Elbow, Street (3/8" NPT) - Spec F thru L	33	526-0014	4	*†Washer, Flat (29/64" ID x 1-1/2" OD x 1/8" Thk) - Spec F thru L
7	505-0110	1	Plug, Pipe (3/8" NPT) -" Spec A thru L	34	526-0198	8	"†Washer, Flat (5/8" ID x 1-1/2" OD x 1/16" Thk) -
8 9	505-0028 505-0076	1	Coupling, Pipe (3/8" NPT) - Spec A thru E Nipple, Pipe (3/8" NPT x 3") -	35	402-0282	4	Spec F thru L *†Snubber - Mount - Spec F thru L
10	505-0110	1	Spec A thru E Plug, Pipe (3/8" NPT) -	36	402-0290	4	*†Bushing, Sleeve - Spec F thru L
11	800-0010	2	Spec A thru E Screw, Cap - Hex Head	37	402-0283	4	Cushion, Vibration Mount - Spec F thru L
••	000-0010		(1/4-20 x 1-3/4") - Begin Spec J	38	526-0198	8	*Washer, Flat (5/8" ID x 1-1/2" OD x 1/16" Thk) -
12	821-0029	2	Screw, Self-Locking - Hex Washer Head (3/8-16 x 3/4") - Begin Spec M (Generator	39	816-0206	4	Spec F thru L *Bolt, Carriage (7/16-14 x 3-1/2") - Spec F thru L
13	800-0033	2	to Mounting Plate) Screw, Cap - Hex Head (5/16-18 x 2") - Spec J thru L	40	526-0195	4	†Washer, Flat (29/64" ID x 3-1/4" OD x 1/8" Thk) - Spec F thru L
14	850-0045	2	(Generator to Mounting Plate) Washer, Lock - Spring (5/16") - Spec J thru L	41	800-0082	4	†Screw, Cap - Hex Head (7/16-14 x 3-3/4") - Spec F thru L
15	821-0010	12	Screw, Self-Locking - Hex Washer Head (1/4-20 x 1/2") - Begin Spec M	42 43	102-0625 403-0933	1	Base, Oil - Spec F thru L Plate, Mounting - Dual Application - Spec F thru L -
16	526-0018	10	Washer, Flat (17/64" ID x 5/8" OD x 1/16" Thk) - Begin Spec M	44	403-0932	1	Optional Plate, Mounting - Custom - Spec F thru L - Optional
17	853-0013	2	Washer, Lock - External Tooth (1/4") - Begin Spec M (Used with Ground Strap)	45	402-0149	4	Hardware Set - Spec A thru E (Includes 1 ea. of Parts Marked £)
18 19	337-0112 402-0385	1 4	Strap, Ground - Begin Spec M Mount, Vibration - Focalized -	46	862-0015	4	£Nut, Hex (5/16-18) - Spec A thru E
			Begin Spec M - Optional Spec J thru L	47	850-0046	4	£Washer, Lock - Spring, Heavy (5/16") - Spec A thru E
20	402-0387	4	Strap, Restraining - Begin Spec J	48	526-0076	8	£Washer, Flat (11/32" ID x 1-1/2" OD x 1/16" Thk) -
21	102-0690	1	Base, Oil - Begin Spec M - Optional Spec J thru L	49	402-0147	4	Spec A thru E £Bushing, Rubber - Upper -
22	403-1102	1	Bracket, Mounting - Generator - Begin Spec M	50	402-0148	4	Spec A thru E £Bushing, Sleeve - Spec A
23 24	403-1101 800-0003	1 12	Plate, Mounting - Begin Spec M Screw, Cap - Hex Head	51	402-0146	4	thru E £Bushing, Rubber - Lower -
25	853-0013	12	(1/4-20 x 1/2") - Spec J thru L Washer, Lock - External Tooth	52	816-0114	4	Spec A thru E £Bolt, Carriage (5/16-18 x
26	526-0158	4	(1/4") - Spec J thru L Washer, Flat (0.261" ID x 1" OD x 1/8" Thk) - Spec J	53	102-0100	1	4-1/2") - Spec A thru E Base, Oil - Spec A thru E
			thru L (Use on lower strap ends only)				rdware Mounting Set. rdware Mounting Set.
27	232-2285	1	Bracket, Mounting - Generator - Spec J thru L				rdware Mounting Set.



#### **PISTON AND ROD**




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	800-0540	2	Screw, Cap - Hex Head (Special)
2	854-0017	2	Washer, Lock - Internal Tooth (5/16")
3	ROD, CONNE	CTING	(includes Screw and Lockwashers)
	114-0254	1	Standard
	114-0254-10	1	.010" Oversize
	114-0254-20	1	.020" Oversize
	114-0254-30	1	.030" Oversize
4	114-0108	1	Dipper, Oil
5	112-0003	2	Ring, Retaining
	112-0069	1	Pin, Piston
7	<b>PISTON AND</b>	PIN (Inc	ludes Retaining Rings)
	112-0136	1	Standard
	112-0136-05	1	.005" Oversize
	112-0136-10	1	.010" Oversize
	112-0136-20	1	.020" Oversize
	112-0136-30	1	.030" Oversize
	112-0136-40	1	.040" Oversize
8	RING SET, PIS	STON	
	113-0087	1	Standard
	113-0087-05	1	.005" Oversize
	113-0087-10	1	.010" Oversize
	113-0087-20	1	.020" Oversize
	113-0087-30	1	.030" Oversize
	113-0087-40	1	.040" Oversize




515-0049

Fediatribution exercision reproductive and support by any means, is strictly prohibited.





#### FUEL SYSTEM — SPEC A THROUGH L





930-0220 (FEBRUARY 1981) Redistribution or publication of this document by any means, is strictly prohibited.


## FUEL SYSTEM — SPEC A THROUGH L

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	140-0587	1	Nut, Knurled - Spec A thru F	25	140-0493	1	Adapter, Air Cleaner
			(Special)	26	145-0111	1	Gasket - Adapter to Carbureto
2	850-0030	1	Washer, Lock - Spring (#10) - Spec A thru F	27	815-0110	1	Screw, Machine - Fillister Head (#10-32 x 7/8")
3	140-0441	1	Cleaner, Air - Oil Bath -	28	850-0030	1	Washer, Lock - Spring (#10)
_			Spec A thru F	29	332-0527	1	Terminal, Quick Disconnect
4	509-0135	1	Seal, "O" Ring (Part of Air Cleaner) - Spec A thru F	30	815-0285	2	Screw, Machine - Round Head with Ext. Tooth Lockwasher
5	140-0469	1	Cup, Oil Bath (Part of Air Cleaner) - Spec A thru F	31	526-0062	2	(#8-32 x 5/16") Washer, Flat - Brass (13/64" ID
6	870-0053	1	Nut, Hex (#10-32) - Spec A thru F	32	153-0113	1	1/2" OD x 1/16" Thk)  Boven Gheke Element + C
7	854-0010	1	Washer, Lock - Ext/Int Tooth	33	153-0113	i	Rights to Later Challes C
•	00+ 0010	•	(#10) - Spec A thru F	34	153-0017	i	Bi-MeTa/, Choke C
8	520-0538	1	Stud (#10-32 x #10-32 x.	3 <del>4</del> 35	815-0190	ż	
9	503-0280		6-15/16") - Spec A thru F			_	Screw, Tapping - Round Head (#8-32 x 3/8")
9	303-0260	4	Clamp, Hose - Spec G thru	36	153-0420	1	Adapter, Choke
			Serial #0772474674 During	37	149-1112	1	Line, Fuel - Pump to Carbureto
10	503-0480	1	Spec J	38	502-0002	1	Elbow, Pipe - 90° -
IV	303-0460	,	Hose, Air Cleaner - Spec G thru		868-0001	<i>15</i> .	Carburetor Inlet
			Serial #0772474674 During	39	868-0001	2	Nut, Hex (1/4-28)
11	140-0211	1	Spec J	40	853-0013	$\frac{1}{2}$	Washer, Lock - Ext. Tooth (1/4)
,,	140-0211	1	Tube, Air Cleaner Hose - Spec G thru Serial #0772474674	41	146-01070	•	*Carburetor, Gasoline (Includes Mounting Gasket)
	500 0400		During Spec J	42	141-0078	1	Gasket, Carburetor Mounting
12	503-0480	1	Hose, Air Cleaner - Spec G	43	145-0469	1	Plate, Carburetor Mounting
			thru Serial #0772474674	44	145-0110	1	Spacer, Carburetor Mounting
40	500 0004	_	_ During Spec J	45	520-0632	2	Stud (1/4-20 x 1/4-20 x 6")
13	503-0004	2	Clamp, Hose - Begin During Spec J at Serial #0772474675 thru Spec L	46	307-1279	1	Solenoid, Fuel Cutoff - Spec J thru L (Also useable on Spec A thru H)
14	503-0660	1	Seal, Air Hose - Begin During Spec J at Serial #0772474675	47	502-0082	1	Nipple, Pipe - Hex - Spec J thru L
			thru Spec L	48	502-0020	1	Elbow, Pipe - 90°
15	503-0657	1	Hose, Air Cleaner - Begin During Spec J at Serial #0772474675	49	149-0079	1	Filter, Fuel (Includes Parts Marked **)
			thru Spec L	50	149-0202	1	**Screen, Fuel Filter
16	821-0010	2	Screw, Self-Locking - Hex Head	51	149-0149	1	**Gasket, Fuel Filter
			(1/4-20 x 1/2") - Spec G thru L	52	149-0150	1	**Bowl, Fuel Filter
17	140-1030	1	Air Cleaner - Spec G thru L	53	502-0082	1	Nipple, Pipe - Hex
18	140-0403	1	Cup Assy., Air Cleaner (Includes	54	502-0020	1	Elbow, Pipe - 90° - Inlet
			Screen) - Spec G thru L	55	502-0002	1	Elbow, Pipe - 90° - Outlet
19	140-0068	1	Screen, Air Cleaner Cap - Spec G thru L	56	806-0009	1	Screw, Cap - Counterbore Hex Head (1/4-20 x 1-1/4")
20	140-1060	1	Bracket, Air Cleaner Mtg Spec G thru L	57	149-0693	1	*Pump, Fuel (Includes Mounting Gasket)
21	809-0054	1	Screw, Tapping - Round Head (#12 x 3/8") - Spec G thru L	58 50	149-0003	2 1	Gasket, Fuel Pump Mounting
22	812-0086	2		59	149-0045		Spacer, Fuel Pump Mounting
23			Screw, Machine - Round Head (#8-32 x 1-1/4")	60	140-0443	1	Gasket, Air Cleaner - Spec A thru F
	850-0025	2	Washer, Lock - Spring (#8)				•
24	503-0736	1	Hose, Rubber - Breather		e Separate G cluded in 149		Components.

<sup>\* -</sup> See Separate Group for Components.
\*\* - Included in 149-0079 Fuel Filter.



## FUEL SYSTEM — BEGIN SPEC M



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	
1	865-0022	1	Nut, Wing (#10-32)	
2	526-0012	1	Washer, Flat (7/32" ID x 3/4" OD x 1/32" Thk)	Ć
3	140-1220	1	Element, Air Cleaner	7
4	520-0853	1	Stud (#10-32 x 9-15/16")	
5	865-0022	1	Nut, Wing (#10-32)	
6	812-0086	2	Screw, Machine - Round Head (#8-32 x 1-1/4")	
7	850-0025	2	Washer, Lock - Spring (#8)	
8	503-0804	1	Hose, Rubber - Breather	
	140-1365	1	Adapter, Air Cleaner	
10	145-0111	1	Gasket - Adapter to Carburetor	
11	815-0110	1	Screw, Machine - Fillister Head (#10-32 x 7/8")	
12	850-0030	1	Washer, Lock - Spring (#10)	
13	332-0527	1	Terminal, Quick Disconnect	
14	815-0285	2	Screw, Machine - Round Head with External Tooth Lockwasher (#8-32 x 5/16")	
15	526-0062	2	Washer, Flat - Brass (13/64" ID x 1/2" OD x 1/16" Thk)	
16	153-0113	1	Cover, Choke	
17	153-0017	1	Element, Thermo - Choke	
18	153-0058	1	Housing, Choke	
19	815-0190	2	Screw, Tapping - Round Head (#8-32 x 3/8")	
20	153-0420	1	Adapter, Choke	
21	149-1112	1	Line, Fuel - Pump to Carburetor	
22	502-0002	1	Elbow, Pipe - 90° - Carburetor Inlet	


	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	23	868-0001	2	Nut, Hex (1/4-28)
	24	853-0013	~ 2	Washer, Lock - Ext. Tooth (1/4)
<i>-</i>	- 25	146-0197 Q	1	*Carburetor, Gasoline (Includes /a
יעל	,			Machine Gustett See Jeff 177
•	26	141-0078	1	Gasket, Carburetor Mounting
	27	145-0469	1	Plate, Carburetor Mounting
	28	145-0110	1	Spacer, Carburetor Mounting
	29		2	Stud (1/4-20 x 1/4-20 x 6")
	30		ī	Filter, Fuel - In Line
	31	SOLENOID	FUEL CI	
	٠.	307-1279	1	Electric - Through S/N 518697
		149-1694	1	Manual - Begin S/N 518698
	32	502-0082	2	Nipple, Pipe - Hex
	33		2	Elbow, Pipe - 90° - Inlet
	34		1	Elbow, Pipe - 90° - Outlet
	35	806-0009	2	Screw, Cap - Counterbore Hex
	35	800-0009	2	Head (1/4-20 x 1-1/4")
	36	149-0693	1	*Pump, Fuel (Includes Mounting Gasket)
	37	149-0003	2	Gasket, Fuel Pump Mounting
	38	149-0045	1	Spacer, Fuel Pump Mounting
	39	149-0079	1	Filter, Fuel (Includes Parts Marked **)
	40	149-0202	1	**Screen, Fuel Filter
	41	149-0150	1	**Bowl, Fuel Filter
	42	149-0149	1	"Gasket, Fuel Filter Bowl

<sup>\* -</sup> See Separate Group for Components.
\*\* - Included in 149-0079 Fuel Filter

930-0220 (FEBRUARY 1981)




#### CARBURETOR PARTS





## **FUEL PUMP PARTS**




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
	149-0693	1	Pump, Fuel (Illustrated in Fuel System Groups)
1	815-0148	4	Screw, Machine - Slotted Hex Head, Hardened, Zinc Plated (#8-32 x 7/8")
2	815-0147	2	Screw, Tapping - Oval Head, Cross-Recessed (#6-32 x 5/8")
3	149-0095	2	*Gasket, Check Valve
4	149-0096	2	*Valve, Check
5	149-0539	1	Retainer, Valve
6		1	Body, Pump - Upper (Not Sold Separately)
7	516-0113	1	Pin, Dowel - Rocker Arm
8	149-0582	1	*Diaphragm Assembly
9	149-0672	1	Spring - Diaphragm
10	149-0675	1	*Spring - Rocker Arm
11	149-0710	1	Arm and Link Set, Rocker (Sold only as set)
12	518-0129	1	Ring, Retaining - Priming Lever
13	509-0065	1	Seal, "O" Ring - Priming Lever Shaft
14	149-0404	1	Spring, Priming Lever
15	149-0551	1	Lever, Priming - Hand
16		1	Body, Pump - Lower (Not Sold Separately)
17	149-0003	1	*Gasket - Fuel Pump Mounting
18	149-0858	1	*†Gasket, Diaphragm - Opt.
	149-0526	1	Kit, Repair - Fuel Pump (Includes Parts Marked *)

- † Used between Diaphragm and Lower body to prevent air leaks.
  - Included in 149-0526 Repair Kit.




## **AIR HOUSING**




REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	517-0021	3	Plug, Button	12	870-0107	6	Nut, Sheet Metal, Spring (1/4")
2	821-0008	4	Screw, Self-Locking - Hex Washer Head (1/4-20 x 5/16")	13	HOUSING, 134-2418	BLOWER	- LEFT SIDE EXHAUST CUTOUT Begin Spec J (Sets with
3	134-3198	1	Scroll, Air (Includes Guard		-		Focalized Mounts)
4	134-3040	1	Screen) - Begin Spec M Scroll, Air (Includes Guard		134-2316	1	Spec A thru L (Sets with Cone Shape Mounts)
			Screen) - Spec J thru L	14	HOUSING,	BLOWER	- RIGHT SIDE EXHAUST
5	134-3041	1	Scroll, Air (Includes Guard		CUTOUT		
			Screen) - Spec A thru H		134-2379	1	Begin Spec J (Sets with
6	815-0421	4	Screw, Tapping - Hex Head				Focalized Mounts)
			With External Tooth Lockwasher (#10-16 x 1/2")		134-0618	1	Spec A thru L (Sets with Cone Shape Mounts)
7	134-2956	1	Guard, Scroll Outlet	15	815-0261	2	Screw, Tapping - Hex Washer
8	134-2112	1	Seal, Air				Head (1/4-20 x 7/16")
9	815-0261	1	Screw, Tapping - Hex Washer	16	134-0586	1	Cover, Cylinder Head
			Head (1/4-20 x 7/16")	17	134-2380	1	Housing, Air - Cylinder (Sets
10	821-0010	2	Screw, Self-Locking - Hex Washer Head (1/4-20 x 1/2")				with Focalized Mounts) - Begin Spec J
11	809-0059	6	Screw, Tapping - Round Head (1/4 x 1/2")	18	134-0584	1	Housing, Air - Cylinder (Sets with Cone Shape Mounts) - Spec A thru L



#### **EXHAUST SYSTEM**






E	-	Recommend
		system parts.

QTY.	PART
USED	DESCRIPTION
1	Clamp, Muffler (1-5/8" pipe)
1	Clamp, Muffler (1-3/8" pipe)
1	Tube, Exhaust - Spec A thru L
1	Nipple, Pipe (1" x 3") -
	L.H. Down System
1	Nipple, Pipe (1" x 5") -
	R.H. Down System
1	Elbow, Pipe - Street, 90°
1	Locknut, Chase
1	Hanger/Clamp - Pipe (1-1/2")
1	Muffler, Exhaust - Begin Spec H
1	Spark Arrester - Optional
1	Muffler/Spark Arrester - Optional
1	Tube, Exhaust - Rear (1-1/2"
	Tube)
1	£Muffler, Exhaust - Spec A thru E
1	£Muffler, Exhaust - Spec F thru G
1	£Tube, Exhaust - Flexible -
	Spec A thru G
1	Tube, Exhaust - Begin Spec M

replacement with current exhaust



## **GENERATOR — SPEC A THROUGH L**




REF.	PART	QTY.	PART	REF.	PART	QTY.	PART
NO.	NO.	UŞED	DESCRIPTION	NO.	NO.	USED	DESCRIPTION
1	813-0098	5	Screw, Tapping - Round	23	862-0004	1	Nut, Hex - Hardened (7/16-14)
-		-	Head (#10-32 x 3/8")	24	850-0055	1	Washer, Lock - Spring (7/16")
2	211-0099	1	Cover, End Bell	25	520-0408	1	Stud, flotor through
3	815-0110	2	Screw, Machine - Round				(7/16-14 x 13-1/4")
_		_	Head (#10-32 x 7/8")	26	ARMATURI	E ASSEMI	BLY (Includes Parts Marked *)
4	850-0030	7	Washer, Lock - Spring (#10)		201-1307	1	50 Hertz Sets
5	870-0053	2	Nut, Hex (#10-32)		201-1303	1	60 Hertz Sets
6	234-0002	1	Band, End Bell	27	510-0047	1	*Bearing, Ball
7	862-0015	2	Nut, Hex (5/16-18)	28	204-0009	1	*Collector Ring
8	850-0045	2	Washer, Lock - Spring (5/16")	29	203-0009	1	*Commutator
9	800-0004	4	Washer, Cap - Hex Head	30	205-0053	1	*Blower, Generator
			(1/4-20 x 5/8")	31	515-0006	1	Key, Woodruff
10	212-1214	4	Clamp, Retaining - Brush Rig	32	232-1256	1	Scroll, Air Baffle
11	312-0017	1	Capacitor, 0.5 Mfd	33	800-0050	4	Screw, Cap - Hex Head
12	312-0058	1	Capacitor, 0.1 Mfd				(3/8-16 x 1")
13	214-0061	4	Brush - DC Commutator	34	850-0050	4	Washer, Lock - Spring (3/8)
14	214-0050	4	Brush - AC Collector Ring	35	231-1006	1	Adapter, Generator to Engine
15	212-1105	8	Spring, Brush	36	232-0596	1	Clip, Bearing Stop
16	212-0294	1	Rig Assembly, Brush	37	515-0122	1	*Key, Armature Drive
17	211-0097	1	End Bell	38	518-0014	2	*Ring, Blower Retaining
18	114-0022	8	Screw, Cap - Hex Head	39	232-0029	1	*Washer, Blower Retaining
	•		(IR uses 6) (Special)	40	526-0032	1	Washer, Flat (29/64" ID x
19	221-0086	4	Shoe, Pole				7/8" OD x 1/16" Thk)
20	COIL ASSEM	MBLY, FIE	LD	41	232-2285	1	Foot, Generator Mounting -
	222-1633	1	60 Hertz Sets				Spec L
	222-1638	1	50 Hertz Sets	42	800-0033	2	Screw, Cap - Hex Head
21	210-0243	1	Frame, Generator				(5/16-18 x 2" Lg)
22	520-0337	2	Stud, Generator through				·
		_					L O

(5/16-18 x 11-1/4")



<sup>&</sup>quot; - Included in Armature Assemblies.

#### **GENERATOR — BEGIN SPEC M**






#### **GENERATOR — BEGIN SPEC M**

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	***		PART DESCRIPTION
1	234-0362	1	Wrapper, End Bell	33	815-0341	4	†Screw, Machine - Hex Head,
2	812-015 <del>6</del>	2	Screw, Machine - Round Head				Brass (#10-32 x 1")
			(1/4-20 x 1-1/2")	34	800-0043	4	Screw, Cap - Hex Head
3	850-0040	4	Washer, Lock - Spring (1/4")				(5/16-18 × 5")
4	232-2107	1	Cover, End Bell	35	850-0045	4	Washer, Lock - Spring (5/16")
5	870-0203	1	Nut, Hex (7/16-20)	36	526-0115	4	Washer, Flat (5/16")
6	850-0055	1	Washer, Lock - Spring (7/16")	37	862-0015	4	Nut, Hex (5/16-18)
7	205-0090	1	Fan, Generator	38	232-0596	1	Clip, Retaining - Bearing
8	815-0359	4	Screw, Tapping - Hex Head	39	516-0182	8	Pin, Straight, Headless
			with External Tooth Lock-	40	211-0187	1	End Bell, Generator
			washer (#10-32 x 7/8")	41	220-1818	1	Stator, Generator
9	812-0116	1	Screw, Machine - Round Head	42	ARMATURE	EASSEME	BLY, GENERATOR
			(#10-24 x 4-1/2")		(Includes Pa	arts Marke	ed £⟩
10	850-0030	1	Washer, Lock - Spring (#10)		201-1904	1	3CR-120/240 Volts - 4 Wire -
11	860-0011	1	Nut, Hex (#10-24)				60 Hertz
12	304-0015	2	Washer, Centering		201-2324	1	53CR-120/240 Volts - 4 Wire -
13	304-0643	1	Resistor, Adjustable				50 Hertz
14	304-0706	1	Bracket, Angle - Mounting	43	510-0047	1	£Bearing, Ball
22	815-0359	12	Screw, Tapping - Hex Head	44	204-0110	1	£Collector Ring, Generator
		_	with External Tooth Lock-	45	203-0153	1	£Commutator, Generator
			washer (#10-32 x 7/8")	46	232-2316	1	£Hub, Drive
23	214-0095	4	Brush, Commutator	47	515-0007	1	£Key, Rectangular
24	214-0096	8	Brush, Collector Ring				(1/4" x 1/4" x 1-3/16")
25	212-1232	12	Spring, Brush	48	520-0732	1	Stud (7/16-14 x 7/16-20 x 14")
26	212-0359	2	Block, Generator Brush	49	515-0006	1	Key, Woodruff
		_	(Includes Parts Marked †)	50	800-0050	4	Screw, Cap - Hex Head
27	212-0360	2	Block, Generator Brush				(3/8-16 x 1-1/4")
		_	(Includes Parts Marked †)	51	850-0050	4	Washer, Lock - Spring (3/8")
28	871-0010	4	†Nut, Hex - Brass (#10-32)	52	231-0164	1	Adapter - Generator to Engine
29	853-0008	4	†Washer, Lock - Ext. Tooth (#10)	53	338-0946	1	Harness, Wiring (M0,M2,M3,M4)
30	526-0049	4	†Washer, Flat - Brass (#10)			•	
31	871-0010	4	†Nut. Hex - Brass (#10-32)	t - Inc	luded in Brus	sh Blocks.	
32	853-0008	4	†Washer, Lock - Ext. Tooth (#10)				201-2611 Armature Assembly.
		-	transit son mun tout (ato)				

<sup>£ -</sup> Included in 201-1904 and 201-2611 Armature Assembly.






## **CONTROL — SPEC A THROUGH L**

REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	312-0057	1	Capacitor, 1 Mfd - Start Solenoid	15	REGULATO	DR, VOLTA	GE.
2	307-1046	1	Relay, Solenoid - Start, 12 Volt		305-0001	1	Spec A through G
3	307-0180	1	Relay, Protective - Reverse	·-	305-0383	1	Spec H through L
4	305-0235	1	Current - Spec A thru & L O.V. Diode, Semiconductor - Reverse	16	302-0058	1	Ammeter (10-0-10 Amp Scale) - Spec A through H
			Current Protection - Spec H	21-W )17	TERMINAL	, LUG	
			thru L	XX	332-0142	1	70 Amp - Spec A through G
5	305-0254	1	Bracket, Mounting - Diode -	i	332-0517	1	35 Amp - Spec H through L
			Spec H thru L	18	416-0004	1	Cable, Battery - Jumper
6	308-0002	1	Switch, Toggle - SPDT - Manual/Electric Start	19	416-0077	2	Cable, Battery - Spec A through L
			Selecting	20	508-0001	3	Grommet, Rubber
7	308-0154	1	Switch, Toggle - SPDT Momentary - Start/Stop	21	301-1244	1	Cover, Control Box - Spec A through G
8	307-0253	1	Relay, Armature - Stop Circuit	22	301-1271	1	Plate, Access - Control Box -
9	304-0251	1	Resistor, Fixed, Wirewound -				Spec A through G
10	304-0344	1	30-Ohm, 5 Watt Resistor, Fixed, Wirewound -	23	301-1160	1	Box, Control - Spec A through G
10	JUT-UJT-	•	1-Ohm, 25 Watt	24	301-1198	4	Bracket, Mounting - Control
11	304-0175	1	Resistor, Adjustable - 1-Ohm,	£-T	301-1130	•	Box - Spec A through G
• • •	004-0175	•	50 Watt	25	301-3102	1	Cover, Control Box -
12	312-0058	As Reg.		20	301-3102	•	Spec H through L
12	012-0000	rw i leq.	Terminal	26	301-3101	•	Box, Control - Spec H
13	332-0566	1	Marker Strip - Load Terminal	20	551-5101	•	through L
14	332-0537	•	Terminal Strip				
17	A-0441	•	i within the the				



## **CONTROL — BEGIN SPEC M**



REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION	REF. NO.	PART NO.	QTY. USED	PART DESCRIPTION
1	821-0009	2	Screw, Self-locking - Hex Head (1/4-20 x 3/8")	18	853-0003	2	Washer, Lock - External Tooth (#6)
2	307-1498	1	Relay, Solenoid	19	870-0183	2	Nut, Hex with External Tooth
3	330-0006	1	Cover, Outlet Box			_	Lockwasher (#6-32)
4	815-0350	2	Screw, Tapping - Hex Head (#10-32 x 3/8")	20	307-1497	1	Relay, Armature - SPST (8 Amp, 12 V)
5	330-0028	1	Box, Outlet	21	508-0008	1	Grommet, Rubber
6	508-0191	1	Grommet, Nylon	22	305-0235	í	Diode, Rectifier (500 PIV.
7	821-0010	1	Screw, Self-locking - Hex		***************************************	•	22 Amp)
	•		Head (1/4-20 x 1/2")	23	812-0148	1	Screw, Machine - Round Head
8	856-0006	1	Washer, Lock - External/			•	(1/4-20 x 1/2")
	++++		Internal Tooth (1/4")	24	853-0013	1	Washer, Lock - External Tooth
9	332-0142	1	Terminal, Lug - Solderless		000 0010	•	(1/4")
10	338-0958	1	Harness, Wiring - Optional	25	862-0001	•	Nut, Hex (1/4-20)
		•	(Remote Control)	26	815-0350	À	Screw, Tapping - Hex Head
11	HARNESS. W	IRING -	REMOTE CONTROL	20	010-0000	•	(#10-32 x 3/8")
• •	(OPTIONAL)	.,,,,,,		27	301-4038	4	Control Box
	338-0959	1	10 Ft. Lg.	28	821-0010	6	
	338-0960	•	30 Ft Lg.	20	021-0010	0	Screw, Self-Locking - Hex
12	815-0388	2		29	201 4020		Washer Head (1/4-20 x 7/8")
12	010-0300	-	Screw, Tapping - Pan Head		301-4039		Bracket, Mounting - Control
13	332-1918		(#6-32 x 1/2")	30	338-0938	!	Harness, Wiring - Control
. •		1	Terminal Strip	31	332-1876	1	Clamp, Cable - Optional
14	308-0383	1	Switch, Push - SPDT	32	508-0179	1	Clamp, Cable, Strain Relief -
15	321-0174	2	Fuse, Cartridge (5 Amp, 32 V)				Optional
16	321-0217	2	Fuseholder	33	370-1002	1	Angle, Diode Mounting
17	812-0063	2	Screw, Round Head -	34	815-0438	3	Screw, Tapping (#8 x 3/8")
ins	Power		Machine (#6-32 x 1/2")				930-0220 (FEBRUARY 198



- a - fortisted of the committee of the state of the stat

#### SERVICE KITS AND MISCELLANEOUS

PART NO.	QTY. USED	PART DESCRIPTION
522-0299		Overhaul Kit; Engine (Includes Standard Ring Set and Kits
168-0065	1 4	*Gasket Kit, Engine
146-0149		"Repair Kit, Carburetor
98-1100	1	Decal Kit
525-0137	1	Paint, Touch-up, Enamel - Metallic Silver Green (Pressurized Can)
525-0305	1 *	Paint, Touch-up, Enamel - Green (Pressurized Can)
<b>525</b> -0454		Paint, Touchelips —Enamel-Greige (Pressurized Can = 13 oz)
155-1664	1	Modification Kit, Exhaust System (Spec A thru G)

<sup>\* -</sup> NOTE: For other kits refer to the applicable group for parts to be serviced.




#### **OPTIONAL EQUIPMENT SECTION**

This section contains parts listing of factory installed options. NOTE: options may not be applicable to all models; for field installations, additional parts are usually required.




## **REMOTE START CONTROL — OPTIONAL** (Used With Three Wire Start Circuits Only)



REF. NO.	PART NO.	QTY. USED	PART Description	REF. NO.	PART NO.	QTY. USED			
1	308-0165	1	Control Package - Remote Starting (Includes Parts	11	815-0380	4	"Screw, Wood - Oval Head, Black Oxide (#5 x 1/2")		
			Marked *)	12	300-0986	1	"Control Assembly Remote		
2	815-0385	2	*Screw, Machine - Round Head (#6-32 x 1/2")				Starting - Deluxe (Includes Parts Marked £)		
3	308-0154	1	*Switch, Toggle - SPDT	13	308-0341	1	£Switch, Push - DPDT (Momen-		
4	308-0168	1	*Plate, Mounting				tary) With Integral 12 Volt		
5	300-1030	1	Control Package - Standard,				Lamp)		
			Remote Starting - For	14	359-0034	1	£Diode		
			Replacement order 300-0985	15	302-0888	1	£Meter, Battery Condition		
			(Includes Parts Marked †)	16	815-0385	2	£Screw, Machine - Round		
6	815-0380	2	†Screw, Wood - Oval Head, Black Oxide (#5 x 1/2")				Head, Black Zinc Finish (#6-32 x 1/2")		
7	300-0985	1	†Control Assembly, Remote	17	860-0005	2	£Nut, Hex (#6-32)		
			Starting - Standard	18	302-0885	1	£Meter, Time Totalizing		
			(Includes Parts Marked ★)	19	301-3606	1	£Panel, Control		
8	308-0341	1	★Switch, Push - DPDT (Momen-	20	302-0562	1	Voltmeter, DC (0-20)		
			tary) With Integral 12 Volt Lamp	21	302-0561	1	Ammeter, DC (0-10)		
9	301-3566	1	*Panel, Control	• - Pa	arts Included	in Centro	N Package 308-0165.		
10	300-1031	1	Control Package - Deluxe,	t - Parts Included in Control Package 300-1030					

Remote Starting - For Replacement order 300-0986



- † Parts Included in Control Package 300-1030.

  \* Parts Included in Control Assembly 309-985 ion of this document

  \* Parts Included in Control Backage 309-903 by prohibited.

# HARDWARE IDENTIFICATION

Illustrated hardware items are only for identification purposes. All hardware items listed throughout this parts catalog are steel SAE grade five (5) or lower (zinc plated with clear chromate dip) unless parts description indicates differently. All dimensions are in inches.

## WASHER TYPES







**INTERNAL TOOTH** LOCK (IT)



**EXTERNAL-INTERNAL** TOOTH LOCK (EIT)




COUNTERSUNK **EXTERNAL TOOTH** LOCK




LOCK




## **BOLT AND SCREW TYPES**



L - Measure length between these points.





## **NUT TYPES**















JAM HEXAGON

**HEXAGON WASHER** 

SOLIARE



<sup>\* -</sup> Flat washer dimensions given are: Inside Diameter (ID), Outside Diameter (OD) and Thickness (Thk).

